






Feb.1.2026 Copyright 2026 HIROSE ELECTRIC CO., LTD. All Rights Reserved.  
 In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.



Recommended PC board hole pattern (t=1.6 ± 0.1)



HRS DRAWING FOR REFERENCE

Note 1 UL (File No. E52653)



|                                      |          |  |                                 |  |                        |                          |
|--------------------------------------|----------|--|---------------------------------|--|------------------------|--------------------------|
| 2.3                                  | BRASS    | (CONTACT AREA) Ni2.5 μm+Au0.1 μm<br>(DIP AREA) Ni2.5 μm+Sn2 μm |                                 |  |                        |                          |
| 1                                    | PBT      | BEIGE, UL94V-0   | 4                               | PHOSPHOR BRONZE                            | Ni1 μm+Sn1 μm          |                          |
| NO.                                  | MATERIAL | FINISH . REMARKS   | NO.                             | MATERIAL                                   | FINISH . REMARKS       |                          |
| UNITS<br>mm                          |          | SCALE<br>2 : 1   | COUNT<br>1                      | DESCRIPTION OF REVISIONS<br>DIS-F-00017716 | DESIGNED<br>YU. NAKADA | CHECKED<br>HT. YAMAGUCHI |
|                                      |          |  |                                 | DATE<br>20230329                           |                        |                          |
| <b>HRS</b> HIROSE ELECTRIC CO., LTD. |          | APPROVED : KI. AKIYAMA 20090220                                | DRAWING NO. EDC-019812-71-02    |  |                        |                          |
|                                      |          | CHECKED : SI. TOMIOKA 20090220                                 | PART NO. PCN12EA-10P-2.54DS(71) |  |                        |                          |
|                                      |          | DESIGNED : NH. SUGITA 20090220                                 | CODE NO. CL0583-2028-9-71       |  |                        |                          |
|                                      |          | DRAWN : CR. TAKESHIMA 20090219                                 |                                 |  |                        |                          |