IoT Smart Module

Sensor Network Module Evaluation Kit (Development Purposes Only)





43.9mm

	\checkmark	
Sensor Network Module	Unit	Specifications
Supply Voltage	[V]	2.5 to 3.3
Current Consumption	[mA]	Typ. 1(Output Data Rate: 10Hz)
Bluetooth®	Unit	Specifications
Receiver Sensitivity	[dBm]	-93
Transmit Power	[dBm]	0
6-axis (Accel+Geomag) Sensor	Unit	Specifications
Measurement Range	[mT] [g]	Geo-Mag: -2.4 to +2.4 Acc: -2 to +2 (Up to -16 to +16 possible)
Resolution	[µT/LSB] [mg/LSB]	Geo-Mag: 0.15 Acc: 0.24 (When you set up -2G to +2G)
Pressure Sensor	Unit	Specifications
Measurement Range	[hPa]	300 to1100
Resolution	[hPa/LSB]	0.013
Temperature and Humidity Sensor	Unit	Specifications
Measurement Range	[%RH] [°C]	Hum.: 0 to100 Temp.: -20 to +60
Resolution	[%RH/LSB] [℃/LSB]	Hum.: 0.016 Temp.:0.02
UV and Ambient Light Sensor	Unit	Specifications
Measurement Range	[mW/cm2] [Lx]	UV-A: 0 to 20.48 Ambient: 0 to 81900
Resolution	[(mW/cm2)/LSB] [Lx/LSB]	UV-A: 0.005 Ambient: 20

Complies with the following Limited Modular Approval FCC ID: CWTUGMZ2AA TELEC Certification Number: 011-140056 Declares CE Conformity SRRC: CMIIT ID 2016DP6197

ALPSALPINE CO., LTD.

For more information please contact your local Sales representative or request information from Products Information Homepage at http://www.alps.com/e/iotsmart-network/index.html




//LPS//LPINE

IoT Smart Module

Sensor Network Module Evaluation Kit



Multi-function sensor module for acquisition and transmission of motion and environmental data



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Alps Alpine: UGWZ3AA001A ZUDZF1-000A